





INTEGRATO TECH




LEVELLERS





INTEGRATO TECH





175 kg per piece







INTEGRATO TECH "A"
screw fixing only




INTEGRATO TECH "D"
with pins for holes Ø5 mm




INTEGRATO TECH "G"
with spikes



ADJUSTMENT




INTEGRATO TECH WITH PRE-INSERTED SCREW FIXING




INTEGRATO TECH SPACER

For details refer to section
"Integrato Tech spacers"




PLINTH CLIP ACCESSORY

For details refer to chapter
"Connectings".






INTEGRATO TECH "A" ADJUSTMENT 12 mm




INTEGRATO TECH "A" ADJUSTMENT 12 mm WITH PRE-MOUNTED SCREWS






INTEGRATO TECH "A" ADJUSTMENT 20 mm





INTEGRATO TECH "A" ADJUSTMENT 20 mm WITH PRE-MOUNTED SCREWS





INTEGRATO TECH "D" ADJUSTMENT 12 mm



ADJUSTMENT 0 - 12 mm



= S4, S6

ST

EP

ZA





= 200 pcs.



3508001000

INTEGRATO TECH "D" ADJUSTMENT 12 mm WITH PRE-MOUNTED SCREWS



ADJUSTMENT 0 - 12 mm



= S4, S6

ST

EP

ZA




= 200 pcs.



3508002000



INTEGRATO TECH "D" ADJUSTMENT 20 mm



ADJUSTMENT 0 - 20 mm



= S4, S6



ST

EP

ZA




= 200 pcs.



3508003000



INTEGRATO TECH "D" ADJUSTMENT 20 mm WITH PRE-MOUNTED SCREWS



ADJUSTMENT 0 - 20 mm



= S4, S6



ST

EP

ZA



= 200 pcs.




3508004000






INTEGRATO TECH "G" ADJUSTMENT 12 mm




ADJUSTMENT 0 - 12 mm




3506001000



INTEGRATO TECH "G" ADJUSTMENT 12 mm WITH PRE-MOUNTED SCREWS



ADJUSTMENT 0 - 12 mm




3506002000





INTEGRATO TECH "G" ADJUSTMENT 20 mm



ADJUSTMENT 0 - 20 mm



= S4, S6



ST



EP



ZA




= 200 pcs.



3506003000



INTEGRATO TECH "G" ADJUSTMENT 20 mm WITH PRE-MOUNTED SCREWS



ADJUSTMENT 0 - 20 mm



= S4, S6



ST



EP



ZA



= 200 pcs.





3506004000







INTEGRATO TECH FIXING ACCESSORY





60103230ZN





60101400ZN

INTEGRATO TECH ACCESSORIES



23002010AB



23001060AB



LEVELLERS

INTEGRATO TECH

ITALIANA[®]
ferramenta

INTEGRATO TECH SPACERS





Whenever it is deemed necessary, over the leveller INTEGRATO TECH without pre-mounted screws, can be slotted a **SPACER** to give a structural support to the furniture bottom.


The spacer is available in three heights (H=24, H=40, H=60).

Engineering plastic


INSTALLATION






SPACER H 24 mm



SPACER H 40 mm




SPACER H 60 mm










APPLICATIONS

Wardrobes with loading onto the bottom panel



Wardrobes with drawers resting on the bottom panel








SYMBOLS AND FINISHES LEGEND

SYMBOLS



= SHELF SAFELY LOCKED DURING TRANSPORTATION AND AT HOME.



= ANTI-TURNOVER LOCKING SYSTEM



= NORMS / PATENTS



= PHILLIPS / POZIDRIV



= WITH BUFFER



= PART NO.



= BLADE SLOT



= WITH MAGNET



= PCS. PER PACKAGE



= COMBI SLOT



= HEXAGONAL SOCKET



= NEWTON



= CAPACITY LOADING



= HEXALOBULAR SOCKET



= FRICTION



= WOOD / GLASS THICKNESS



= COUNTERSUNK HEAD



= AUTOMATIC



= HOLE DIAMETER



= PAN HEAD



= DROP DOWN



= DIAMETER



= FLANGE HEAD



= LENGTH



= FLAT HEAD



= STANDARD HINGE



= HEIGHT



= TRILOBULAR SCREW



= KIMANA HINGE



= RIGHT VERSION



= SELF-TAPPING SCREW



= FLAP HINGE



= LEFT VERSION



= EURO THREAD



= WITH SPRING



= SETTING CODE



= METRIC THREAD



= WITHOUT SPRING



= PCS. PER PAD



= PRE-INSERTED SCREW



= REVERSED SPRING



= CUT ON REQUEST



= PRE-INSERTED SCREW AND SPREADING BUSH



= SELF ADHESIVE



= WITH FLANGE

NOTE: Printing errors and omissions may exist despite our best efforts to ensure accuracy. We reserve the right to alter specifications without notice.

MATERIALS

ZA = Zinc Alloy	ST = Steel	HSS = High Speed Steel	BR = Brass	ABS = Acrylonitrile Butadiene Styrene	TPU = Thermoplastic Polyurethane
ZAnk = Nickel-plated Zinc Alloy	STzk = Zinc-plated Steel	AL = Aluminium	WD = Wood	EVA = Ethylene Vinyl Acetate	

EP = ENGINEERING PLASTIC	+ EP = other engineering plastic available on request	SR = SOFT RUBBER	+ SR = other soft rubber available on request
--	--	--------------------------------	--

EPn = Natural Engineering Plastic	EPc = Clear Engineering Plastic	SRn = Natural Soft Rubber
EPw = White Engineering Plastic	EPg = Grey Engineering Plastic	SRw = White Soft Rubber
EPb = Black Engineering Plastic	EPa = Anthracite Engineering Plastic	SRb = Black Soft Rubber




FINISHES



+ **OTHER FINISHES AVAILABLE ON REQUEST**

PART NO.	FINISHES	PART NO.	FINISHES	PART NO.	FINISHES
00	Insignificant finish	IF	Grey 7	XE	Inox
AA	Natural	IJ	Light Grey	YA	Nickel-plated
AB	White	IL	Grey 20	YC	Matt Nickel-plated
AE	White 9010	IN	Grey met. 26	YD	Satin-finished Nickel-plated
EA	Black	JG	Aluminium 5	YQ	Black Nickel
EC	Matt Black	JL	Aluminium PE 11	Z9	Black Zinc
EE	Anthracite	JM	Aluminium RAL 9006	ZN	Zinc-plated
EW	Grey 9007	KB	Bright Chrome	ZQ	Bright Gold
FU	Gunmetal	KC	Matt Chrome	ZZ	Clear/Transparent
FV	Gunmetal V52	LD	Brown 8019		
GR	Zamak Raw	RO	Red		
HA	Brass-Plated	UT	T-Met 9007		
HH	Tropicalized	UZ	T-Met		
HL	Raw Brass	WA	Bronzed		
HX	Graphite	WI	Burnished		
IA	Grey	XD	Satin-finished Steel		



www.italianaferramenta.com

ITALIANA FERRAMENTA SRL - Viale Europa 17 I - 33070 Brugnara (PN)
Tel. +39 0434 428211 Fax +39 0434 428242 E-mail: info@italianaferramenta.it